Date / Revised: 30.10.2020

Product: Trennmittel MO 70 Version: 1.5 E
Date of print: 02.03.2023 Page: 1 von 8



Safety data sheet

1. Substance/preparation and company identification

1.1 Product identifier

Trade name: Trennmittel MO 70

1.2 Relevant identified uses of the substance or mixture and uses advised against

No further relevant information available.

Application for the substance / the preparation Coating

1.3 Details of the supplier of the safety data sheet

Manufacturer/Supplier:

RFII

Kunststoffproduktions- und Handelsgesellschaft mbH

Lehmkuhlenweg 25

D- 31224 Peine

Telefon: +49 (0)5171/70 99-0 Telefax: +49 (0)5171/7099-29 E-Mail: service@beil-peine.de

1.4 Emergency telephone number: Giftzentrale Göttingen

Tel.: +49 (0)551/19240

2. Hazard identification

2.1 Classification of the substance or mixture Classification according to Regulation (EC) No 1272/2008



GHS08 health hazard

Asp. Tox. 1 H304 May be fatal if swallowed and enters airways.

Aquatic Chronic 4 H413 May cause long lasting harmful effects to aquatic life.

2.2 Label elements

Labelling according to Regulation (EC) No 1272/2008

The product is classified and labelled according to the CLP regulation.

Hazard pictograms



GHS08

Signal word Danger

Hazard-determining components of labelling:

Kohlenwasserstoffe, C11 - C12, Isoalkane, < 2% Aromaten

Hazard statements

H304 May be fatal if swallowed and enters airways.

H413 May cause long lasting harmful effects to aquatic life.

Precautionary statements

P273 Avoid release to the environment.

P301+P310 IF SWALLOWED: Immediately call a POISON CENTER/ doctor.

P331 Do NOT induce vomiting.

Date / Revised: 30.10.2020

Product: Trennmittel MO 70 Version: 1.5 E
Date of print: 02.03.2023 Page: **2** von **8**



P405 Store locked up.

P501 Dispose of contents/container in accordance with local/regional/national/international

regulations.

2.3 Other hazards

Results of PBT and vPvB assessment

PBT: Not applicable. **vPvB:** Not applicable.

3. Composition/information on ingredients

3.2 Chemical characterisation: Mixtures

Description: Mixture: consisting of the following components.

Dangerous components:

EC number: 918-167-1 Kohlenwasserstoffe, C11 - C12, Isoalkane, < 2% Aromaten

Reg.nr.: 01-2119472146-39 Asp. Tox. 1, H304; Aquatic Chronic 4, H413

75 - 100%

Additional information: For the wording of the listed hazard phrases refer to section 16.

4. First-aid measures

4.1 Description of first aid measures

General information: Immediately remove any clothing soiled by the product.

After inhalation:

Supply fresh air; consult doctor in case of complaints.

In case of unconsciousness place patient stably in side position for transportation.

After skin contact:

Immediately wash with water and soap and rinse thoroughly.

If skin irritation continues, consult a doctor.

After eve contact:

Rinse opened eye for several minutes under running water.

Seek medical advice

After swallowing: Do not induce vomiting; call for medical help immediately.

4.2 Most important symptoms and effects, both acute and delayed

No further relevant information available.

Hazards

Danger of pneumonia.

Danger of pulmonary oedema.

4.3 Indication of any immediate medical attention and special treatment needed

No further relevant information available.

5. Fire-fighting measures

5.1 Extinguishing media

Suitable extinguishing agents:

CO2, powder or water spray. Fight larger fires with water spray or alcohol resistant foam.

For safety reasons unsuitable extinguishing agents: Water with full jet

5.2 Special hazards arising from the substance or mixture

Formation of toxic gases is possible during heating or in case of fire.

In case of fire, the following can be released:

Carbon monoxide (CO)

carbon dioxide

5.3 Advice for firefighters

Protective equipment:

Wear self-contained respiratory protective device.

Wear fully protective suit.

Additional information

Cool endangered receptacles with water spray.

Collect contaminated fire fighting water separately. It must not enter the sewage system.

Date / Revised: 30.10.2020

Product: Trennmittel MO 70 Version: 1.5 E
Date of print: 02.03.2023 Page: **3** von **8**



6. Accidental release measures

6.1 Personal precautions, protective equipment and emergency procedures

Wear protective equipment. Keep unprotected persons away.

Keep away from ignition sources.

Ensure adequate ventilation

Use respiratory protective device against the effects of fumes/dust/aerosol.

6.2 Environmental precautions:

Do not allow to enter sewers/ surface or ground water.

Inform respective authorities in case of seepage into water course or sewage system.

6.3 Methods and material for containment and cleaning up:

Absorb with liquid-binding material (sand, diatomite, acid binders, universal binders, sawdust).

Ensure adequate ventilation.

Dispose contaminated material as waste according to item 13.

6.4 Reference to other sections

See Section 7 for information on safe handling.

See Section 8 for information on personal protection equipment.

See Section 13 for disposal information.

7. Handling and storage

7.1 Precautions for safe handling

Keep away from heat and direct sunlight.

Ensure good ventilation/exhaustion at the workplace.

Prevent formation of aerosols.

Take care by opening.

Information about fire - and explosion protection:

Keep ignition sources away - Do not smoke.

Protect against electrostatic charges.

Protect from heat.

7.2 Conditions for safe storage, including any incompatibilities

Storage:

Requirements to be met by storerooms and receptacles:

Store in a cool location.

Segregate from foods and animal feeds. Segregate from acids. Segregate from oxidants.

Suitable material for receptacles and pipes: steel or stainless steel.

Information about storage in one common storage facility:

Store away from foodstuffs.

Store away from oxidising agents.

Further information about storage conditions:

Store in cool, dry conditions in well sealed receptacles.

Protect from heat and direct sunlight.

Storage class: 10

7.3 Specific end use(s) No further relevant information available.

8. Exposure controls and personal protection

Additional information about design of technical facilities: No further data; see item 7.

8.1 Control parameters

Ingredients with limit values that require monitoring at the workplace:

8002-74-2 Paraffin waxes and Hydrocarbon waxes

WEL (Great Britain) Short-term value: 6 mg/m³

Long-term value: 2 mg/m³

Additional information: The lists valid during the making were used as basis.

8.2 Exposure controls

Personal protective equipment:

General protective and hygienic measures: Wash hands before breaks and at the end of work.

Respiratory protection: Not necessary if room is well-ventilated.

Protection of hands:

Date / Revised: 30.10.2020

Product: Trennmittel MO 70 Version: 1.5 E
Date of print: 02.03.2023 Page: 4 von 8





Solvent resistant gloves

The glove material has to be impermeable and resistant to the product/ the substance/ the preparation. Due to missing tests no recommendation to the glove material can be given for the product/ the preparation/ the chemical mixture.

Selection of the glove material on consideration of the penetration times, rates of diffusion and the Degradation.

Material of gloves

Nitrile rubber, NBR

The selection of the suitable gloves does not only depend on the material, but also on further marks of quality and varies from manufacturer to manufacturer. As the product is a preparation of several substances, the resistance of the glove material can not be calculated in advance and has therefore to be checked prior to the application.

Penetration time of glove material

The exact break trough time has to be found out by the manufacturer of the protective gloves and has to be observed.

Eye protection:



Tightly sealed goggles

Body protection:

Solvent resistant protective clothing Protective work clothing

9. Physical and chemical properties

9.1 Information on basic physical and chemical properties

General Information

Appearance:

Form: Fluid
Colour: Whitish
Odour: Aromatic

Odour threshold: Not determined. PH-value: Not determined.

Change in condition

Melting point/Melting range: Undetermined.
Boiling point/Boiling range: ca. 160 °C
Flash point: ca. 60 °C
Flammability (solid, gaseous): Not applicable.
Ignition temperature: ca. 354 °C
Decomposition temperature: Not determined.

Self-igniting: Product is not selfigniting

Danger of explosion: Product does not present an explosion hazard.

Explosion limits:

Lower: 0,6 Vol %
Upper: 6 Vol %

Vapour pressure at 20 °C: 1 hPa

Density at 20 °C: 0,774 g/cm³

Relative density Not determined.

Vapour density Not determined.

Evaporation rate Not determined.

Date / Revised: 30.10.2020

Product: Trennmittel MO 70 Version: 1.5 E
Date of print: 02.03.2023 Page: **5** von **8**



Solubility in / Miscibility with

water: Insoluble.

Partition coefficient (n-octanol/water): Not determined.

Viscosity:

Dynamic: Not determined.

Kinematic at 20 °C: 2 mm²/s

Solvent content:

Organic solvents: 90,0 % **VOC (EC)** 696.6 g/l

9.2 Other information No further relevant information available.

10. Stability and reactivity

10.1 Reactivity No further relevant information available.

10.2 Chemical stability

Thermal decomposition / conditions to be avoided: No decomposition if used according to specifications.

10.3 Possibility of hazardous reactions

Forms explosive gas mixture with air.

Reacts with acids, alkalis and oxidising agents.

10.4 Conditions to avoid No further relevant information available.

10.5 Incompatible materials: Incompatible with oxidizing agents, acids

10.6 Hazardous decomposition products:

Flammable gases/vapours

Carbon monoxide Carbon dioxide

11. Toxicological information

11.1 Information on toxicological effects

Acute toxicity Based on available data; the classification criteria are not met.

LD/LC50 values relevant for classification:

Kohlenwasserstoffe, C11 - C12, Isoalkane, < 2% Aromaten

Oral LD50 >5000 mg/kg (Ratte)
Dermal LD50 >5000 mg/kg (Kaninchen)

Primary irritant effect:

Skin corrosion/irritation irritation feasible

Serious eye damage/irritation irritation feasible

Respiratory or skin sensitisation Based on available data, the classification criteria are not met.

CMR effects (carcinogenity, mutagenicity and toxicity for reproduction)

Germ cell mutagenicity Based on available data; the classification criteria are not met.

Carcinogenicity Based on available data; the classification criteria are not met.

Reproductive toxicity Based on available data; the classification criteria are not met.

STOT-single exposure Based on available data; the classification criteria are not met.

STOT-repeated exposure Based on available data; the classification criteria are not met.

Aspiration hazard

May be fatal if swallowed and enters airways.

12. Ecological information

12.1 Toxicity

Aquatic toxicity: No further relevant information available.

12.2 Persistence and degradability No further relevant information available.

Other information: Elimination by adsorption onto activated sludge

12.3 Bioaccumulative potential No further relevant information available.

12.4 Mobility in soil No further relevant information available.

Additional ecological information:

General notes:

Water hazard class 1 (German Regulation) (Self-assessment): slightly hazardous for water

Date / Revised: 30.10.2020

Product: Trennmittel MO 70 Version: 1.5 E
Date of print: 02.03.2023 Page: **6** von **8**



Do not allow undiluted product or large quantities of it to reach ground water, water course or sewage system.

12.5 Results of PBT and vPvB assessment

PBT: Not applicable. **vPvB:** Not applicable.

12.6 Other adverse effects No further relevant information available.

13. Disposal considerations

13.1 Waste treatment methods

Recommendation

Dispose in accordance with applicable international, national and local laws, ordinances and statutes. For disposal within the EC, the appropriate waste code according to the European Waste Catalogue (EWC) should be used.

No Sewage disposal shall. **Uncleaned packaging:**

Recommendation: Disposal must be made according to official regulations.

14. Transport information

14.1 UN-Number

ADR, ADN, IMDG, IATA Void

14.2 UN proper shipping name

ADR, ADN, IMDG, IATA Void

14.3 Transport hazard class(es)

ADR, ADN, IMDG, IATA

Class Void

14.4 Packing group

ADR, IMDG, IATA Void

14.5 Environmental hazards:

Marine pollutant: No

14.6 Special precautions for user14.7 Transport in bulk according to Annex II ofMarpol and the IBC CodeNot applicable.

UN "Model Regulation": Void

15. Regulatory information

15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

Labelling according to Regulation (EC) No 1272/2008

The product is classified and labelled according to the CLP regulation.

Hazard pictograms



GHS08

Signal word Danger

Hazard-determining components of labelling:

Kohlenwasserstoffe, C11 - C12, Isoalkane, < 2% Aromaten

Hazard statements

H304 May be fatal if swallowed and enters airways.

H413 May cause long lasting harmful effects to aquatic life.

Precautionary statements

P273 Avoid release to the environment.

P301+P310 IF SWALLOWED: Immediately call a POISON CENTER/ doctor.

Date / Revised: 30.10.2020

Product: Trennmittel MO 70 Version: 1.5 E
Date of print: 02.03.2023 Page: **7** von **8**



P331 Do NOT induce vomiting.

P405 Store locked up.

P501 Dispose of contents/container in accordance with local/regional/national/international

regulations.

Directive 2012/18/EU

Named dangerous substances - ANNEX I None of the ingredients is listed. REGULATION (EC) No 1907/2006 ANNEX XVII Conditions of restriction: 3

National regulations:

Technical instructions (air):

Class Share in % NK 75 - 100

Waterhazard class: Water hazard class 1 (VwVwS 17.05.99): slightly hazardous for water. **15.2 Chemical safety assessment:** A Chemical Safety Assessment has not been carried out.

16. Other information

This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

Relevant phrases

H304 May be fatal if swallowed and enters airways.

H413 May cause long lasting harmful effects to aquatic life.

Abbreviations and acronyms:

RID: Règlement international concernant le transport des marchandises dangereuses par chemin de fer (Regulations Concerning the International Transport of Dangerous Goods by Rail)

ICAO: International Civil Aviation Organisation

ADR: Accord européen sur le transport des marchandises dangereuses par Route (European Agreement concerning the International Carriage of Dangerous Goods by Road)

IMDG: International Maritime Code for Dangerous Goods

IATA: International Air Transport Association

GHS: Globally Harmonised System of Classification and Labelling of Chemicals

EINECS: European Inventory of Existing Commercial Chemical Substances

ELINCS: European List of Notified Chemical Substances

CAS: Chemical Abstracts Service (division of the American Chemical Society)

VOC: Volatile Organic Compounds (USA, EU)

LC50: Lethal concentration, 50 percent

LD50: Lethal dose, 50 percent

PBT: Persistent, Bioaccumulative and Toxic vPvB: very Persistent and very Bioaccumulative Asp. Tox. 1: Aspiration hazard, Hazard Category 1

Annex: Exposure scenario

Description of the activities / processes covered in the Exposure Scenario

See section 1 of the annex to the Safety Data Sheet.

Conditions of use

Duration and frequency 5 workdays/week.

Physical parameters Physical state Fluid

Concentration of the substance in the mixture The substance is main component.

Other operational conditions

Other operational conditions affecting environmental exposure No special measures required.

Other operational conditions affecting consumer exposure No special measures required.

Other operational conditions affecting consumer exposure during the use of the product Not applicable.

Risk management measures

Worker protection

Organisational protective measures No special measures required.

Technical protective measures Ensure that suitable extractors are available on processing machines **Personal protective measures**

Do not inhale gases / fumes / aerosols.

Protective gloves

Solvent resistant gloves

The glove material has to be impermeable and resistant to the product/ the substance/ the preparation.

Due to missing tests no recommendation to the glove material can be given for the product/ the preparation/ the chemical mixture.

Selection of the glove material on consideration of the penetration times, rates of diffusion and the

Date / Revised: 30.10.2020

Version: 1.5 E Product: Trennmittel MO 70 Date of print: 02.03.2023 Page: 8 von 8



degradation

Measures for consumer protection Ensure adequate labelling.

Environmental protection measures

Water No special measures required.

Disposal measures Ensure that waste is collected and contained.

Disposal procedures

Must not be disposed together with household garbage. Do not allow product to reach sewage system.

Waste type Partially emptied and uncleaned packaging

Exposure estimation

Consumer Not relevant for this Exposure Scenario.

Guidance for downstream users No further relevant information available.