

according to Regulation (EC) No. 1907/2006

Körasolv® PU

Version 1.0	Revision Date: 14.05.2022		0S Number: 0000019864	Date of last issue: - Date of first issue: 14.05.2022
SECTION	N 1: Identification of	the	substance/mi	xture and of the company/undertaking
1.1 Produ	ct identifier			
Prod	uct name	:	Körasolv® PU	
1.2 Releva	ant identified uses of	the s	ubstance or mi	xture and uses advised against
	of the Sub- e/Mixture	:	Solvent	
Reco on us	mmended restrictions	:	For industrial u	se only.
1.3 Detail	s of the supplier of th	e saf	ety data sheet	
Comp	bany	:	H.B. Fuller, Isa	r-Rakoll, S.A.
Addre	ess	:	Estrada Nacior PT-4486-851 M +351 229 288 2	lindelo - Vila do Conde
	il address of person onsible for the SDS	:	EU-MSDS@hb	fuller.com
•				
1.4 Emerg	gency telephone num	ber		
-	gency telephone num gency telephone numb		+44 1235 239	670 (24 hours)

SECTION 2: Hazards identification

2.1 Classification of the substance or mixture

Classification (REGULATION (EC) No 127 Flammable liquids, Category 2	72/2008) H225: Highly flammable liquid and vapour.
Skin irritation, Category 2	H315: Causes skin irritation.
Eye irritation, Category 2	H319: Causes serious eye irritation.
Specific target organ toxicity - single ex- posure, Category 3, Central nervous system	H336: May cause drowsiness or dizziness.
Aspiration hazard, Category 1	H304: May be fatal if swallowed and enters air-



according to Regulation (EC) No. 1907/2006

Körasolv® PU

ersion .0	Revision Date: 14.05.2022	-	DS Numbe 000000198	
				ways.
Long- egory	term (chronic) aquatic 3	: haz	ard, Cat-	H412: Harmful to aquatic life with long lasting effects.
.2 Label	elements			
	l ling (REGULATION (rd pictograms	(EC) :	No 1272/20	
Signa	l word	:	Danger	
Hazaı	rd statements	:	H304 M H315 Ca H319 Ca H336 M	phly flammable liquid and vapour. by be fatal if swallowed and enters airways. uses skin irritation. uses serious eye irritation. by cause drowsiness or dizziness. rmful to aquatic life with long lasting effects.
Preca	utionary statements	:	Preventio	1:
			flames and P233 Ke	ep away from heat, hot surfaces, sparks, open other ignition sources. No smoking. ep container tightly closed. oid breathing mist or vapours.
			Response	:
			P370 + P3	doctor. NOT induce vomiting.

ethyl acetate Hydrocarbons, C6-C7, n-alkanes, isoalkanes, cyclics, <5% n-hexane methyl acetate

2.3 Other hazards

This substance/mixture contains no components considered to be either persistent, bioaccumulative and toxic (PBT), or very persistent and very bioaccumulative (vPvB) at levels of 0.1% or higher.



according to Regulation (EC) No. 1907/2006

Körasolv® PU

Version	Revision Date:	SDS Number:	Date of last issue: -
1.0	14.05.2022	10000019864	Date of first issue: 14.05.2022

SECTION 3: Composition/information on ingredients

3.2 Mixtures

Components

Components Chemical name	CAS-No.	Classification	Concentration
Chemical hame	EC-No. Index-No. Registration number		(% w/w)
acetone	67-64-1 200-662-2 606-001-00-8 01-2119471330-49- 0000	Flam. Liq. 2; H225 Eye Irrit. 2; H319 STOT SE 3; H336 (Central nervous system) EUH066	>= 30 - < 50
ethyl acetate	141-78-6 205-500-4 607-022-00-5 01-2119475103-46- 0000	Flam. Liq. 2; H225 Eye Irrit. 2; H319 STOT SE 3; H336 (Central nervous system) EUH066	>= 20 - < 30
Hydrocarbons, C6-C7, n-alkanes, isoalkanes, cyclics, <5% n- hexane	64742-49-0 921-024-6 01-2119475514-35- 0000	Flam. Liq. 2; H225 Asp. Tox. 1; H304 Aquatic Chronic 2; H411 Skin Irrit. 2; H315 STOT SE 3; H336 (Respiratory system)	>= 20 - < 25
methyl acetate	79-20-9 201-185-2 607-021-00-X 01-2119459211-47- 0000	Flam. Liq. 2; H225 Eye Irrit. 2; H319 STOT SE 3; H336 (Central nervous system) EUH066	>= 10 - < 20
methanol	67-56-1 200-659-6 603-001-00-X 01-2119392409-28- 0000	Flam. Liq. 2; H225 Acute Tox. 3; H301 Acute Tox. 3; H331 Acute Tox. 3; H311 STOT SE 1; H370	>= 0,1 - < 1
		specific concentration limit STOT SE 1; H370 >= 10 % STOT SE 2; H371 3 - < 10 %	



according to Regulation (EC) No. 1907/2006

Körasolv® PU

Version 1.0	Revision Date: 14.05.2022	SDS Number: 100000019864	Date of last issue: - Date of first issue: 14	4.05.2022					
For e	For explanation of abbreviations see section 16.								

SECTION 4: First aid measures

4.1 Description of first aid measures

General advice	:	If on clothes, remove clothes. Move the victim to fresh air. Show this safety data sheet to the doctor in attendance. Symptoms of poisoning may even occur after several hours; therefore medical observation for at least 48 hours after the accident.
If inhaled	:	Remove person to fresh air. If signs/symptoms continue, get medical attention. In case of unconsciousness bring patient into stable side position for transport.
In case of skin contact	:	Wash off immediately with soap and plenty of water while removing all contaminated clothes and shoes. If skin irritation persists, call a physician.
In case of eye contact	:	Flush eyes with water at least 15 minutes. Get medical atten- tion if eye irritation develops or persists.
If swallowed	:	If accidentally swallowed obtain immediate medical attention. Rinse mouth with water. If conscious, drink plenty of water. Do NOT induce vomiting. If symptoms persist, call a physician.

4.2 Most important symptoms and effects, both acute and delayed None known.

4.3 Indication of any immediate medical attention and special treatment needed

Treatment

: No further relevant information available.

SECTION 5: Firefighting measures

5.1 Extinguishing media		
Suitable extinguishing media	:	Use extinguishing measures that are appropriate to local cir- cumstances and the surrounding environment. Water mist Foam Dry powder



according to Regulation (EC) No. 1907/2006

Körasolv® PU

Version 1.0	Revision Date: 14.05.2022		DS Number: 0000019864	Date of last issue: - Date of first issue: 14.05.2022
			Carbon dioxide (C	002)
Unsuit media	able extinguishing	:	Water with a full v	vater jet
5.2 Special	hazards arising from	the	e substance or mi	xture
Specific hazards during fire- fighting		:	No further relevar	nt information available.
5.3 Advice for firefighters Special protective equipment for firefighters		:	No special protec	tive measures against fire required.
Furthe	r information	:	Fire residues and be disposed of in Collect contamina	e, wear self-contained breathing apparatus. contaminated fire extinguishing water must accordance with local regulations. ated fire extinguishing water separately. This arged into drains.

SECTION 6: Accidental release measures

6.1 Personal precautions, protective equipment and emergency procedures

Personal precautions		Remove all sources of ignition. Use personal protective equipment. Use breathing protection against the effects of fumes/dust/aerosol. Evacuate personnel to safe areas. Ensure adequate ventilation.
6.2 Environmental precautions		
Environmental precautions		The product should not be allowed to enter drains, water courses or the soil. Prevent the material from reaching sewage system, holes and cellars. If the product contaminates rivers and lakes or drains inform respective authorities.
6.3 Methods and material for con	ntain	ment and cleaning up
Methods for cleaning up		Soak up with inert absorbent material (e.g. sand, silica gel, acid binder, universal binder, sawdust).



according to Regulation (EC) No. 1907/2006

Körasolv® PU

Version	Revision Date:	SDS Number:	Date of last issue: -	
1.0	14.05.2022	10000019864	Date of first issue: 14.05.2022	

tion 13.

6.4 Reference to other sections

Refer to protective measures listed in sections 7 and 8., For disposal considerations see section 13.

SECTION 7: Handling and storage

7.1 Precautions for safe handling

	Use only with adequate ventilation. Take note of emission threshold. Use solvent-proof equipment. Ensure that suitable extractors are available on processing machines. Handle with care. Keep eye wash bottle available on working place. Avoid release to the environment. Keep away from children.
Advice on protection against : fire and explosion	Keep product and empty container away from heat and sources of ignition. Do not smoke. Take measures to prevent the build up of electrostatic charge. May form explosive mix- tures in air. Highly volatile, flammable constituents are re- leased during processing. In the event of fire and/or explosion do not breathe fumes. Keep breathing equipment ready. Have fire extinguishing equipment ready in case of nearby fire.

7.2 Conditions for safe storage, including any incompatibilities

Requirements for storage areas and containers	:	Keep dark, cool and dry. Store in cool place.
Further information on stor- age conditions	:	Keep containers tightly closed in a dry, cool and well- ventilated place. Store in a cool place. Heat will increase pressure and may lead to the container exploding.
7.3 Specific end use(s) Specific use(s)		No further relevant information available.
	•	

SECTION 8: Exposure controls/personal protection

8.1 Control parameters

Occupational Exposure Limits

Components	CAS-No.	Value type (Form	Control parameters	Basis
------------	---------	------------------	--------------------	-------



according to Regulation (EC) No. 1907/2006

Körasolv® PU

14.05.202	22 100	0000019864 E	Date of first issue: 14.05.2022				
		of exposure)					
acetone	67-64-1	TWA	500 ppm 1.210 mg/m3	2000/39/E			
	Further info	rmation: Indicative		•			
		OELV - 8 hrs (TWA)	500 ppm 1.210 mg/m3	IE OEL			
ethyl acetate	141-78-6	OELV - 8 hrs (TWA)	200 ppm 734 mg/m3	IE OEL			
		OELV - 15 min (STEL)	400 ppm 1.468 mg/m3	IE OEL			
		STEL	400 ppm 1.468 mg/m3	2017/164/			
	Further info	Further information: Indicative					
		TWA	200 ppm 734 mg/m3	2017/164/			
	Further info	rmation: Indicative					
methyl acetate	79-20-9	OELV - 8 hrs (TWA)	200 ppm 610 mg/m3	IE OEL			
		OELV - 15 min (STEL)	250 ppm 760 mg/m3	IE OEL			
methanol	67-56-1	TWA	200 ppm 260 mg/m3	2006/15/E			
	Further info through the		dentifies the possibility of signi	ficant uptake			
		OELV - 8 hrs (TWA)	200 ppm 260 mg/m3	IE OEL			
			which have the capacity to pe with it, and be absorbed into the				

Derived No Effect Level (DNEL) according to Regulation (EC) No. 1907/2006:

Substance name	End Use	Exposure routes	Potential health ef- fects	Value
acetone	Workers	Dermal	Long-term systemic effects	186 mg/kg
	Workers	Inhalation	Acute local effects	2420 mg/m3
	Workers	Inhalation	Long-term systemic effects	1210 mg/m3
ethyl acetate	Workers	Inhalation	Acute systemic ef- fects	1468 mg/m3
	Workers	Inhalation	Acute local effects	1468 mg/m3
	Workers	Inhalation	Long-term systemic effects	734 mg/m3
Hydrocarbons, C6- C7, n-alkanes, isoal- kanes, cyclics, <5% n-hexane	Workers	Inhalation	Long-term systemic effects	2,035 mg/m3

Predicted No Effect Concentration (PNEC) according to Regulation (EC) No. 1907/2006:



according to Regulation (EC) No. 1907/2006

Körasolv® PU

Version 1.0	Revision Date: 14.05.2022	SDS Number: 100000019864	Date of last issue: - Date of first issue: 14	4.05.2022
Subs	tance name	Environment	al Compartment	Value
aceto		Marine water		1,06 mg/l
		Fresh water		10,6 mg/l
-		Fresh water s	ediment	30,4 mg/l
		Marine sedim	ent	3,04 mg/l
		Soil		0,112 mg/l
		Sewage treat	ment plant	29,5 mg/l
ethyl	acetate	Fresh water		0,26 mg/l
		Intermittent u	se/release	1,65 mg/l
				0,026 mg/l
		Fresh water s	ediment	1,25 mg/kg
			ent	0,125 mg/kg
		Soil		0,24 mg/kg
		Sewage treat	ment plant	650 mg/l

8.2 Exposure controls

Engineering measures

Please take care on national and local requirements.

Personal protective equipment

Eye protection

: Tightly fitting safety goggles

Hand protection

Remarks

 The glove material has to be impermeable and resistant to the product/the substance/the preparation.
 The exact break through time can be obtained from the protective glove producer and this has to be observed.
 The gloves need to be disposed after the penetration time and replaced by new ones.
 Apply skin protectant before working with gloves to avoid skin swellings and use a skin cleansing and skincare product after the work.

For the permanent contact gloves made of the following materials are suitable:

If longer exposure to the chemical preparation is necessary, a sturdy overglove against mechanical strain is recommended in combination with the Barrier 02-100 underglove from Ansell or other suppliers (penetration time: 480 min).

For the permanent contact of a maximum of 15 minutes gloves made of the following materials are suitable:



according to Regulation (EC) No. 1907/2006

Körasolv® PU

Version 1.0	Revision Date: 14.05.2022	SDS Number: 100000019864	Date of last issue: - Date of first issue: 14.05.2022
		Butyl rubber 15 min)	(minimum thickness: 0.7 mm; penetration time:
		ing materia	on from splashes gloves made of the follow- ls are suitable: um thickness 0.12 mm), Disposable gloves with
			t with the chemical preparation, take the dispos- love off immediately and put on a new disposable
Skin	and body protection	: Protective cl	othing
Resp	viratory protection	tilation is pro exposures a In case of br use breathin In case of in ratus that is	ory protection unless adequate local exhaust ven- vided or exposure assessment demonstrates that re within recommended exposure guidelines. ief exposure or low pollution (exceeding of TLV) g filter apparatus. tensive or longer exposure use breathing appa- independent of circulating air. suitable extractors are available on processing
Prote	ective measures	Instantly rem Wash hands the product. Avoid contac	rom food, drink and animal feedingstuffs. hove any soiled and impregnated garments. before breaks and immediately after handling ct with the eyes and skin. tive clothing separately.

SECTION 9: Physical and chemical properties

9.1 Information on basic physical and chemical properties

Physical state	:	liquid
Colour	:	colourless
Odour	:	solvent-like
Odour Threshold	:	is not determined
Melting point/freezing point	:	is not determined
Flash point	:	-20 °C



according to Regulation (EC) No. 1907/2006

Körasolv® PU

Ver 1.0	sion	Revision Date: 14.05.2022		S Number: 0000019864	Date of last issue: - Date of first issue: 14.05.2022
	Auto-ig	nition temperature	:	is not determined	1
	Decom	position temperature	:	not applicable	
	рН		:	is not determined	3
	Viscos Visc	ity cosity, dynamic	:	< 5 mPa.s (20 °C	:)
	Solubil Wa	ity(ies) ter solubility	:	not miscible or d	fficult to mix
	Partitio octano	n coefficient: n- l/water	:	no data available	
	Density	ý	:	0,81 g/cm3 (20 °	C)
	Relativ	e vapour density	:	is not determined	3
9.2	Other in	nformation			
	Explos	ives	:	Product is not ex vapour/air mixtur	plosive. However, formation of explosive es is possible.
	Evapor	ration rate	:	is not determined	ł

SECTION 10: Stability and reactivity

10.1 Reactivity

No further relevant information available.

10.2 Chemical stability No decomposition if used according to the specifications. 10.3 Possibility of hazardous reactions Hazardous reactions : Develops readily flammable vapours/fumes. 10.4 Conditions to avoid Conditions to avoid : No further relevant information available. 10.5 Incompatible materials Materials to avoid : No further relevant information available. 10.6 Hazardous decomposition products

No hazardous decomposition products are known.



according to Regulation (EC) No. 1907/2006

Körasolv® PU

Version	Revision Date:	SDS Number:	Date of last issue: -
1.0	14.05.2022	10000019864	Date of first issue: 14.05.2022

SECTION 11: Toxicological information

11.1 Information on hazard classes as defined in Regulation (EC) No 1272/2008

Acute toxicity	
Product: Acute oral toxicity :	Based on available data, the classification criteria are not met.
	Acute toxicity estimate: > 2.000 mg/kg Method: Calculation method
Acute inhalation toxicity :	Based on available data, the classification criteria are not met.
	Acute toxicity estimate: > 20 mg/l Exposure time: 4 h Test atmosphere: vapour Method: Calculation method
Acute dermal toxicity :	Based on available data, the classification criteria are not met.
	Acute toxicity estimate: > 2.000 mg/kg Method: Calculation method
Components:	
methyl acetate: Acute inhalation toxicity :	LC50 (Rat): 16000 ppm Exposure time: 4 h Test atmosphere: vapour

11.2 Information on other hazards

Endocrine disrupting properties

Product:

Assessment

: The substance/mixture does not contain components considered to have endocrine disrupting properties according to REACH Article 57(f) or Commission Delegated regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at levels of 0.1% or higher.



according to Regulation (EC) No. 1907/2006

Körasolv® PU

Version	Revision Date:	SDS Number:	Date of last issue: -
1.0	14.05.2022	10000019864	Date of first issue: 14.05.2022

SECTION 12: Ecological information

12.1 Toxicity

Components:

methyl acetate:

Toxicity to fish

: LC50 (Brachydanio rerio (zebrafish)): 250 - 350 mg/l Exposure time: 96 h Test Type: static test

12.2 Persistence and degradability

No data available

12.3 Bioaccumulative potential

No data available

12.4 Mobility in soil

Product:

Mobility

: Medium: Soil

Remarks: Do not allow product to reach ground water, water bodies or sewage system., Very toxic to aquatic organisms, Toxic effects on fish and plankton, Danger to drinking water if even extremely small quantities leak into soil.

12.5 Results of PBT and vPvB assessment

Ρ	r	0	d	u	С	t:	

Assessment	:	This substance/mixture contains no components considered
		to be either persistent, bioaccumulative and toxic (PBT), or
		very persistent and very bioaccumulative (vPvB) at levels of
		0.1% or higher.

12.6 Endocrine disrupting properties

Product:

Assessment

: The substance/mixture does not contain components considered to have endocrine disrupting properties according to REACH Article 57(f) or Commission Delegated regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at levels of 0.1% or higher.

12.7 Other adverse effects

No data available



according to Regulation (EC) No. 1907/2006

Körasolv® PU

Version	Revision Date:	SDS Number:	Date of last issue: -
1.0	14.05.2022	10000019864	Date of first issue: 14.05.2022

SECTION 13: Disposal considerations

13.1 Waste treatment methods Product Do not dispose of with domestic refuse. 2 Do not dispose of waste into sewer. Hand over to disposers of hazardous waste. The generation of waste should be avoided or minimized wherever possible. Incinerate under controlled conditions in accordance with all local and national laws and regulations. Disposal must be made according to official regulations. These EU waste code numbers are recommendations for waste accruing through the use of adhesives and sealants. Any waste produced from organic solvents or other dangerous substances (according GHS) listed under section 3 of this safety datasheet is itself classified as dangerous (*). Waste accruing during application: 08 04 09* waste adhesives and sealants containing organic solvents or other dangerous substances 08 04 10 waste adhesives and sealants other than those mentioned in 08 04 09 Waste accruing during cleaning: adhesive and sealant sludges containing or-08 04 11* ganic solvents or other dangerous substances 08 04 12 adhesive and sealant sludges other than those mentioned in 08 04 11 Waste packaging: paper and cardboard packaging 15 01 01 plastic packaging 15 01 02 15 01 04 metallic packaging packaging containing residues of or contami-15 01 10* nated by dangerous substances. Disposal must be made according to official regulations. Contaminated packaging :

SECTION 14: Transport information

14.1 UN number or ID number

ADR	:	UN 1993
RID	:	UN 1993
IMDG	:	UN 1993



according to Regulation (EC) No. 1907/2006

Körasolv® PU

Version 1.0	Revision Date: 14.05.2022		OS Number: 0000019864	Date of last issue: - Date of first issue: 14.05.2022
IATA 14.2 UN מ	roper shipping name	:	UN 1993	
ADR		:	FLAMMABLE LIC (ACETONE, ETH	
RID		:	FLAMMABLE LIC (ACETONE, ETH	QUID, N.O.S.
IMDG	ì	:	FLAMMABLE LIG (ACETONE, ETH	
ΙΑΤΑ		:	Flammable liquid (ACETONE, ETH	
14.3 Trans	sport hazard class(es)			
ADR		:	3	
RID		:	3	
IMDG	;	:	3	
ΙΑΤΑ		:	3	
14.4 Pack	ing group			
	ng group ification Code s	:	II F1 3	
RID Packi	ng group ification Code	:	II F1 3	
Label	ng group	:	ll 3 F-E, <u>S-E</u>	
	(Cargo) ing group s	:	ll Flammable Liquid	ls
	_ P (Passenger) ng group s	:	II Flammable Liquid	ds
14.5 Envi	ronmental hazards			
ADR Envir RID	onmentally hazardous	:	no	



according to Regulation (EC) No. 1907/2006

Körasolv® PU

Version 1.0	Revision Date: 14.05.2022	SDS Number: 100000019864	Date of last issue: - Date of first issue: 14.05.2022
Environmentally hazardous		: no	
IMDG Marine pollutant		: no	

14.6 Special precautions for user

The transport classification(s) provided herein are for informational purposes only, and solely based upon the properties of the unpackaged material as it is described within this Safety Data Sheet. Transportation classifications may vary by mode of transportation, package sizes, and variations in regional or country regulations.

14.7 Maritime transport in bulk according to IMO instruments

Not applicable for product as supplied.

SECTION 15: Regulatory information

15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

e	•		
	REACH - Restrictions on the manufacture, placing on the market and use of certain dangerous substances, mixtures and articles (Annex XVII)	:	Conditions of restriction for the fol- lowing entries should be considered: Number on list 3
			methanol (Number on list 69) acetic acid
	Regulation (EC) No 649/2012 of the European Parlia- ment and the Council concerning the export and import of dangerous chemicals	:	not applicable
	REACH - Candidate List of Substances of Very High Concern for Authorisation (Article 59).	:	not applicable
	Regulation (EC) No 1005/2009 on substances that deplete the ozone layer	:	not applicable
	Regulation (EU) 2019/1021 on persistent organic pollu- tants (recast)	:	not applicable
	RoHS: 2011/65/EU, Restriction of Hazardous Substances	:	not applicable
	REACH - List of substances subject to authorisation (Annex XIV)	:	not applicable
	Regulation (EU) 2019/1148 on the marketing and use of e precursors	expl	osives

This product is regulated by Regulation (EU) 2019/1148: all suspicious : acetone (ANNEX II)



according to Regulation (EC) No. 1907/2006

Körasolv® PU

Version 1.0	Revision Date: 14.05.2022	SDS Number: 100000019864	Date of last issue: - Date of first issue: 14.05.2022				
porte https do/p prec sors/	transactions, and significant disappearances and thefts should be re- ported to the relevant national contact point. Please see https://ec.europa.eu/home-affairs/sites/ homeaffairs/files/what-we- do/policies/crisis-and-terrorism/explosives/explosives- precur- sors/docs/list_of_competent_authorities_and_national_contact_points_e n.pdf						
an P of m	Seveso III: Directive 2012/18/EU of the Europe- P5c FLAMMABLE LIQUIDS an Parliament and of the Council on the control of major-accident hazards involving dangerous substances.						
Vola	tile organic compounds	:					
		emissions (inte	75/EU of 24 November 2010 on industrial grated pollution prevention and control) compounds (VOC) content: 100 %				
	Directive 2010/75/EU of 24 November 2010 on industrial emissions (integrated pollution prevention and control) not applicable						
Othe	er regulations:						

Take note of Directive 94/33/EC on the protection of young people at work or stricter national regulations, where applicable.

The components of this product are reported in the following inventories:TSCA: All substances listed as active on the TSCA inventory					
DSL	:	All components of this product are on the Canadian DSL			
KECI	:	On the inventory, or in compliance with the inventory			
PICCS	:	On the inventory, or in compliance with the inventory			
IECSC	:	On the inventory, or in compliance with the inventory			
REACH	:	On the inventory, or in compliance with the inventory			



according to Regulation (EC) No. 1907/2006

Körasolv® PU

Version	Revision Date:	SDS Number:	Date of last issue: -
1.0	14.05.2022	10000019864	Date of first issue: 14.05.2022

15.2 Chemical safety assessment

No Chemical Safety Assessment has been carried out for this mixture.

SECTION 16: Other information

Full text of H-Statements

H225	:	Highly flammable liquid and vapour.
H301	:	Toxic if swallowed.
H304	:	May be fatal if swallowed and enters airways.
H311	:	Toxic in contact with skin.
H315	:	Causes skin irritation.
H319	:	Causes serious eye irritation.
H331	:	Toxic if inhaled.
H336	:	May cause drowsiness or dizziness.
H370	:	Causes damage to organs.
H411	:	Toxic to aquatic life with long lasting effects.
EUH066	:	Repeated exposure may cause skin dryness or cracking.
Full text of other abbreviation	ns	
Acute Tox.	:	Acute toxicity
Aquatic Chronic	:	Long-term (chronic) aquatic hazard
Asp. Tox.	:	Aspiration hazard
Eye Irrit.	:	Eve irritation
Flam. Liq.	:	Flammable liquids
Skin Irrit.	:	Skin irritation
STOT SE	:	Specific target organ toxicity - single exposure
2000/39/EC	:	Europe. Commission Directive 2000/39/EC establishing a first
		list of indicative occupational exposure limit values
2006/15/EC	:	Europe. Indicative occupational exposure limit values
2017/164/EU	:	Europe. Commission Directive 2017/164/EU establishing a
		fourth list of indicative occupational exposure limit values
IE OEL	:	Ireland. List of Chemical Agents and Occupational Exposure
		Limit Values - Schedule 1
2000/39/EC / TWA	:	Limit Value - eight hours
2006/15/EC / TWA	:	Limit Value - eight hours
2017/164/EU / STEL	:	Short term exposure limit
2017/164/EU / TWA	:	Limit Value - eight hours
IE OEL / OELV - 8 hrs (TWA)	:	Occupational exposure limit value (8-hour reference period)
IE OEL / OELV - 15 min	:	Occupational exposure limit value (15-minute reference peri-
(STEL)		od)

ADN - European Agreement concerning the International Carriage of Dangerous Goods by Inland Waterways; ADR - Agreement concerning the International Carriage of Dangerous Goods by Road; AIIC - Australian Inventory of Industrial Chemicals; ASTM - American Society for the Testing of Materials; bw - Body weight; CLP - Classification Labelling Packaging Regulation; Regulation (EC) No 1272/2008; CMR - Carcinogen, Mutagen or Reproductive Toxicant; DIN - Standard of the German Institute for Standardisation; DSL - Domestic Substances List (Canada); ECHA -European Chemicals Agency; EC-Number - European Community number; ECx - Concentration



according to Regulation (EC) No. 1907/2006

Körasolv® PU

Version	Revision Date:	SDS Number:	Date of last issue: -
1.0	14.05.2022	10000019864	Date of first issue: 14.05.2022

associated with x% response; ELx - Loading rate associated with x% response; EmS - Emergency Schedule; ENCS - Existing and New Chemical Substances (Japan); ErCx - Concentration associated with x% growth rate response; GHS - Globally Harmonized System; GLP - Good Laboratory Practice; IARC - International Agency for Research on Cancer; IATA - International Air Transport Association; IBC - International Code for the Construction and Equipment of Ships carrying Dangerous Chemicals in Bulk; IC50 - Half maximal inhibitory concentration; ICAO - International Civil Aviation Organization; IECSC - Inventory of Existing Chemical Substances in China; IMDG - International Maritime Dangerous Goods; IMO - International Maritime Organization; ISHL - Industrial Safety and Health Law (Japan); ISO - International Organisation for Standardization; KECI - Korea Existing Chemicals Inventory; LC50 - Lethal Concentration to 50 % of a test population; LD50 - Lethal Dose to 50% of a test population (Median Lethal Dose); MARPOL - International Convention for the Prevention of Pollution from Ships; n.o.s. - Not Otherwise Specified; NO(A)EC - No Observed (Adverse) Effect Concentration: NO(A)EL - No Observed (Adverse) Effect Level; NOELR - No Observable Effect Loading Rate; NZIOC - New Zealand Inventory of Chemicals; OECD - Organization for Economic Co-operation and Development; OPPTS - Office of Chemical Safety and Pollution Prevention; PBT - Persistent, Bioaccumulative and Toxic substance; PICCS - Philippines Inventory of Chemicals and Chemical Substances; (Q)SAR - (Quantitative) Structure Activity Relationship; REACH - Regulation (EC) No 1907/2006 of the European Parliament and of the Council concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals; RID - Regulations concerning the International Carriage of Dangerous Goods by Rail; SADT - Self-Accelerating Decomposition Temperature; SDS - Safety Data Sheet; SVHC - Substance of Very High Concern; TCSI - Taiwan Chemical Substance Inventory; TECI -Thailand Existing Chemicals Inventory; TRGS - Technical Rule for Hazardous Substances; TSCA - Toxic Substances Control Act (United States); UN - United Nations; vPvB - Very Persistent and Very Bioaccumulative

Further information

Other information	-	This safety datasheet only contains information relating to safety and does not replace any product information or product specification.	
Contact Point		Prepared by: Global Regulatory Department EU-MSDS@hbfuller.com	
Classification of the mixture:		Classification procedure:	
Flam. Liq. 2	H225	Based on product data or assessment	
Skin Irrit. 2	H315	Calculation method	
Eye Irrit. 2	H319	Calculation method	
STOT SE 3	H336	Calculation method	
Asp. Tox. 1	H304	Calculation method	
Aquatic Chronic 3	H412	Calculation method	

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific



according to Regulation (EC) No. 1907/2006

Körasolv® PU

Version	Revision Date:	SDS Number:	Date of last issue: -
1.0	14.05.2022	10000019864	Date of first issue: 14.05.2022

material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.

IE / EN